

FLINT AERO, INC.
1935 NORTH MARSHALL AVENUE
EL CAJON, CA 92020

**FAA Approved Pilot's Operating Handbook,
Airplane Flight Manual Supplement
and Supplemental Airplane Flight Manual
AMPHIBIAN SUPPLEMENT**

185.16

CESSNA MODEL A185F amphibian
Serial No. 18502300, 18503684 and on
Equipped with
EDO-AIRE MODEL 696-3500 Amphibious Floats

This document must be carried on board and attached to the Pilot's Operating Handbook and FAA Approved Airplane Flight Manual when the amphibian is modified by the installation of the Flint Aero Wing Tip Fuel Tanks in accordance with STC SA 8036NM.

The information contained herein Supplements or Supersedes the basic manual and the EDO-AIRE FLIGHT MANUAL SUPPLEMENT No. E-1 only in those areas listed herein. For limitations, procedures, and performance information not contained in this document, consult the basic placards, Pilot's Operating Handbook, Airplane Flight Manual, EDO-AIRE FLIGHT MANUAL SUPPLEMENT No. E-1, and FLINT AERO, INC. FAA APPROVED PILOT'S OPERATING HANDBOOK AIRPLANE FLIGHT MANUAL SUPPLEMENT NO. 185.14.



Manager, Flight Test Branch, ANM-160L
Federal Aviation Administration
Los Angeles Aircraft Certification Office
Transport Airplane Directorate
FAA APPROVED DATE: Oct. 2, 1996

STC SA8036NM	FLINT AERO, INC SUPPLEMENT AFM, P.O.H. AND AFM SUPPLEMENT TO CESSNA MODEL MODEL A185F AMPHIBIAN SUPPLEMENT EDO-AIRE MODEL 696-3500 AMPHIBIOUS FLOATS	Page P-1
Report Number 185.16		Revision
Origination Date		Revision Date
Originated By		Revised By

REVISIONS AND ADDITIONS

REV LEV	DATE	PAGES AFFECTED	REMARKS	APPROVED BY
IR	10/2/96	Title	Installation of wing tip fuel tanks	<i>Donald R. ...</i> Manager, Flt. Test Branch FAA Los Angeles ACO ANM160L Date 10-2-96
	10/2/96	P-1		
	10/2/96	P-2		
	10/2/96	1-6		

EFFECTIVE PAGES

Page	Rev	Date	Page	Rev	Date	Page	Rev	Date
P-1	IR	10/2/96						
P-2	IR	10/2/96						
1-6	IR	10/2/96						

FAA APPROVED DATE: OCTOBER 2, 1996

STC SA8036NM	FLINT AERO, INC SUPPLEMENT AFM, P.O.H. AND AFM SUPPLEMENT TO CESSNA MODEL MODEL A185F AMPHIBIAN SUPPLEMENT EDO-AIRE MODEL 696-3500 AMPHIBIOUS FLOATS	Page P-2
Report Number 185.16		Revision
Origination Date		Revision Date
Originated By		Revised By

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
1	General Introduction.....	1
2	Limitations.....	3
3	Emergency Procedures.....	4
4	Normal Procedures.....	4
5	Performance.....	4
6	Weight and balance/Equipment List.....	5
7	Airplane and Systems Description.....	6
8	Airplane Handling, Service and Maintenance	6

FAA APPROVED DATE: OCTOBER 2, 1996

STC SA8036NM	FLINT AERO, INC. SUPPLEMENTAL AFM, P.O.H. AND AFM SUPPLEMENT TO CESSNA MODEL A185F AMPHIBIAN SUPPLEMENT EDO-AIRE MODEL 696-3500 AMPHIBIOUS FLOATS	Page 1
Report Number 185.16		Revision
Origination Date		Revision Date
Originated By		Revised By

SECTION I

GENERAL
INTRODUCTION

This supplement provides information not found in the basic handbook which is required to be furnished to the pilot by FAR 21.5. It includes procedures and data required for the safe and efficient operation of the Cessna Model A185F equipped with EDO-AIRE Model 696-3500 amphibious floats installed per STC SA558NW, when modified by the installation of Flint Aero Wing Tip Fuel Tanks in accordance with STC SA8036NM.

Information contained in the Model A185F basic FAA approved Cessna Amphibian Supplement for the Model A185F equipped EDO-AIRE 696-3500 amphibious floats, which is the same as that for the amphibian, is generally not repeated in this supplement.

Information contained in the Flint Aero Supplemental AFM, POH, and AFM Supplement 185.14 for airplanes modified by the installation of Flint Aero Wing Tip Fuel Tanks in accordance with STC SA8036NM, which is the same as that for the amphibian, is generally not repeated in this supplement.

Wherever the words "Not Applicable" appear in this Supplement, they are used to indicate that information may not be the same as that shown in the Cessna Supplement and is not required by the airplane certification basis, and therefore should not be used.

FAA APPROVED DATE: OCTOBER 2, 1996

